

REMARKS

This is intended as a full and complete response to the Office Action dated March 19, 2010, having a shortened statutory period for response set to expire on May 29, 2010. Applicants respectfully request entry and consideration of the above noted amendments and the following remarks in response to the Office Action.

OBJECTIONS:


The disclosure stands objected to. Applicants have corrected typographical errors and clarified features of such (full support of such amendments can be found in the context of the same paragraph). Accordingly, Applicants respectfully request withdrawal of the objections.

The Specification stands objected to. The Office Action states that an angle of at least 30° does not have support in the Specification. Applicants respectfully disagree and submit that paragraph 89 recites that the "conduits 4 preferably leave the mixing vessel 3 in upward direction under an angle preferably superior to 10°, and more preferably superior to 30°". Accordingly, Applicants respectfully request withdrawal of the objection.

Claim 51 stands objected to. Applicants have corrected typographical errors in such claim and respectfully request withdrawal of the objection.

In conclusion, Applicants submit that the references cited in the Office Action, neither alone nor in combination, teach, show, or suggest the claimed features. Having addressed all issues set out in the Office Action, Applicants respectfully submit that the claims are in condition for allowance and respectfully request the same.

Respectfully submitted,


Tenley R. Krueger

Registration No. 51,253

T.R. Krueger, P.C.

P.O. Box 16356

Sugar Land, Texas 77496

Telephone: 281-778-8934

Facsimile: 281-778-8937

Attorney for Applicant(s)